


Drop-arm awning
Clamping awning

Micro 150

Just
enjoy life!

Lewens
MARKISEN





For balcony and loggia

- Width max. 350 cm,
height max. 300 cm
(including posts)
- Crank drive
- Awning fabric:
acrylic *(standard)*,
polyester / recycled polyester
(option)
- Options:
Electric motor,
radio motor/
radio remote control,
automatic weather sensor

*Ideal solution for rented apartments:
the Micro 150 clamping awning*

Micro 150 – clamping awning

Perfect sunshade for balcony and loggia



Doubly secure

*The Micro 150 is clamped easily between
floor and ceiling using clamping posts.
A lock screw offers additional holding power.*

*When closed, the front profile
of the awning has almost
the **appearance of a cassette.***





Whether for a small patio, loggia or balcony, the Micro 150 always looks smart and stylish, blending harmoniously into the façade.

Fitting folding arm awnings is often a problem with rented apartments, as drill holes and heavy wall plugs in the external walls may not be permitted.

The Micro 150 clamping awning is an ideal solution here, as it can simply be clamped between floor and ceiling.



Awning pitch 135°

With an awning pitch of 135°, the Micro 150 offers shade and protection from the heat for the balcony and interior in the smallest of spaces.



Micro 150

Equipment and technical features



Manufactured and assembled in Germany
Quality and technology CE-compliant



Type [= max. awning pitch]	135°
Technology	Clamping awning
Casing (H x T), approx.	130 x 130 mm
Widths (max.)	
1 unit (single panel)	350 cm
Drops	
Arm lengths 75 / 100 / 125	<input checked="" type="checkbox"/>
Special arm lengths	<input type="checkbox"/>
Height	
Ordering height (max.)	300 cm
Drive	
Electric motor (for wall switch)	<input type="checkbox"/>
Radio motor	<input type="checkbox"/>
Crank drive	<input checked="" type="checkbox"/>
Frame colours	
29 Lewens standard frame colours	<input checked="" type="checkbox"/>
Natural silver (E6/EV 1 anodized, small components RAL 9006)	<input checked="" type="checkbox"/>
Additional RAL, special colours and effect finishes	<input type="checkbox"/>
Awning fabrics from the LEWENS collection	
Branded acrylic (spun-dyed, ultra fade resistant)	<input checked="" type="checkbox"/>
Branded polyester/recycled polyester (spun-dyed, ultra fade resistant)	<input type="checkbox"/>
Tenara quality sewing yarn	<input checked="" type="checkbox"/>
Ultrasonic seam welding	<input type="checkbox"/>
Options	
Radio motor + radio remote control	<input type="checkbox"/>
Automatic weather sensor (sun, wind, rain)	<input type="checkbox"/>
Attachment	
Ceiling + floor (clamping posts)	<input checked="" type="checkbox"/>

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

Standard Option



Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 08/2024