








Micro 4000 – large square awning

Vertical awning for large windows



With a cassette height of just 15 cm, straight form and flat end caps, the Micro 4000 is also eminently suitable for niche installation.

Glass fibre screen fabric:

a view of the outside with protection from the sun's glare.





Made-to-measure equipment

- Width max. 600 cm (up to 300 cm high), height max. 600 cm (up to 300 cm wide), depending on model, type and equipment
- Electric motor with obstacle recognition
- Awning fabric:
 Screen glass fibre fabric (Screen Sergé 1 % width max. 350 cm)
- Options:
 Radio motor with obstacle recognition/
 radio remote control,
 automatic weather sensor



The Micro 4000 can be fitted both in front of the window and flush with the façade inside the window recess.


Sun and glare protection in XXL dimensions: the Micro 4000 was developed especially for large windows and transits on glass roofs and conservatories. It is equipped with a lateral zip guide and track, in which the fabric is concealed and guided like a zip. With screen fabric the view outwards is retained.



Fabric guide **ZIP**

Track with lateral zip guide:

For higher fabric tension, greater wind safety and improved lateral balancing of structural tolerances.



Micro 4000

Equipment and technical features





Manufactured and assembled in Germany Quality and technology CE-compliant



Types	Angular
Fabric guide	ZIP
Cassette (H x D), approx.	145 x 160 mm
Widths (max.)	
1 unit (single panel)	600 cm (up to 300 cm in height)
System height (max.)	
Ordering height	600 cm (up to 300 cm wide)
Drive	
Electric motor (for wall switch) with obstacle recognition	
Radio motor	
Frame colours	
29 Lewens standard frame colours	
Natural silver (E6/EV1 anodized, small components RAL 9006)	
Additional RAL, special colours and effect finishes	
Awning fabrics from the LEWENS collection	
Screen	*
Options	
Radio motor with obstacle recognition + radio remote control	
Automatic weather sensor (sun, wind, rain)	
Attachment	
Wall / ceiling	
Murano glass roofs	
ossible dimensions and restrictions along with the complete range of electronic accessories	■ Standard □ Optio
an be found in the technical data in the current Lewens price list.	* Screen Sergé 1 % width max. 350 c

MARKISEN

Your stockist will be happy to advise you:

