

Side screen awning

# Micro 700

Just  
*enjoy life!*

**Lewens**  
MARKISEN





## Micro 700 – side screen awning

Privacy and shade for the patio and balcony

*The Micro 700 is simply extended using the **handle** (position and number optional) and hooked onto the wall mounting or post.*

*The **bottom castor** enables the awning to be guided easily. The awning shaft is fitted with an anti-kickback brake for safe, convenient operation.*





## A perfect fit

- Height max. 250 cm, extension max. 400 cm (dependent on fabric and height)
- Centimetre-accurate manufacture in all intermediate sizes
- Manual operation

### Installation:

- Wall mounting (standard)
- Post to screw into base (with or without base console)



**Private refuge** – well protected from prying eyes and annoying draughts.

The Micro 700 forms the perfect complement to a glass roof or awning (shown here with Murano Integrale glass roof from Lewens).

The Micro 700 side screen awning provides shelter from the sun, wind and unwanted attention, creating a snug refuge on the patio, balcony or loggia. The Micro 700 complements conventional sunshades or glass roofs in terms of function and design. The fabrics of all Lewens products can be perfectly coordinated with one another.

When the side screen is retracted, the cassette can simply be removed from the bracket to protect against theft and vandalism and can be stored safely until next required.

### Installation

Wall mounting (standard)



Screwed to base

(instead of standard)



Screwed to base

with base console



# Micro 700

Equipment and technical features



Manufactured and assembled in Germany



Quality and technology CE-compliant

Wall cassette (W x D)	108,8 x 100,6 mm		
<b>Unit height (max.)</b>			
1 unit (single panel)	250 cm		
<b>Extension (max., depending on fabric and height)</b>			
	Height up to 134 cm	Up to 190 cm	Up to 250 cm
Acrylic / (recycled) polyester	400 cm	* 300 cm	* 300 cm
Soltis 92	400 cm	400 cm	* 300 cm
<b>Drive</b>			
Manual operation, 1 handle	<input checked="" type="checkbox"/>		
Manual operation, further handles	<input type="checkbox"/>		
<b>Frame colours</b>			
29 Lewens standard frame colours	<input checked="" type="checkbox"/>		
Additional RAL, special colours and effect finishes	<input type="checkbox"/>		
<b>Awning fabrics from the LEWENS collection</b>			
Branded acrylic (spun-dyed, ultra fade resistant)	<input checked="" type="checkbox"/>		
Soltis 92	<input checked="" type="checkbox"/>		
Branded polyester/recycled polyester (spun-dyed, ultra fade resistant)	<input type="checkbox"/>		
Tenara quality sewing yarn	<input checked="" type="checkbox"/>		
Ultrasonic seam welding	<input type="checkbox"/>		
<b>Attachment</b>			
Wall mounting	<input checked="" type="checkbox"/>		
Post for screwing into base	<input type="checkbox"/>		
Post for screwing into base <b>with base console</b>	<input type="checkbox"/>		

■ Standard   □ Option   \* only with vertical panel direction

Possible dimensions and restrictions along with complete range of accessories can be found in the technical data in the current Lewens price list.



Your stockist will be happy to advise you:

---



[www.lewens-markisen.de](http://www.lewens-markisen.de)

Subject to technical alterations. Date: 07/2024