

Folding-arm
full-cassette
awning

Toscana Grande

Just
enjoy life!

Lewens
MARKISEN





Toscana Grande – large-scale shade

The ultimate in comfort for large patios



Full cassette

When the awning is retracted, the front profile closes the cassette completely, protecting both fabric and mechanism reliably from the effects of the weather.



Equipment options to increase the comfort

- Width, 1 unit, max. 700 cm, joined system max. 1950 cm, drop max. 400 cm
- Electric motor
- Options:
Radio motor/radio remote control,
automatic weather sensor,
LED lighting
radiant heater,
support legs,
Vario Valance



Lightness on a grand scale

Up to a width of 650 cm, the Toscana Grande is attached to wall or ceiling using just two brackets (illustration on the left).

The bracket attachment is variable thanks to specially developed casing holders, which permit a lateral tolerance on installation

Vario Valance (option)

The Vario Valance offers variable shade from the sun and glare protection, especially when the sun is low in the sky, without any loss of headroom under the awning.



The biggest full-cassette awning in the Toscana series with a self-supporting, oval casing presents a convincing combination of compactness and elegance and is especially suitable for large patios. When mounted on wall, ceiling or rafters, the Toscana Grande appears to float, radiating a notable lightness, even in large formats or as a joined system.



Privacy

The optional Vario Valance also guards against unwanted attention from outside. If Soltis woven fabric is selected, the view outwards is retained.

Toscana Grande

Equipment and technical features



Toscana Grande



Manufactured and assembled in Germany
TÜV-tested safety
Quality and technology CE-compliant

Full cassette (H x D)	157 x 239 mm
Widths (max.)	
1 unit (single panel)	700 cm
2 units/3 units (joined system with slit cover)	1.300 / 1.950 cm
Drops	
Arm lengths 150 / 200 / 250 / 300 / 350 / 400 cm	<input checked="" type="checkbox"/>
Special arm lengths	<input type="checkbox"/>
Drive	
Electric motor (for wall switch)	<input checked="" type="checkbox"/>
Radio motor	<input type="checkbox"/>
Crank drive	<input type="checkbox"/>
Frame colours	
29 Lewens standard frame colours	<input checked="" type="checkbox"/>
Natural silver (E6/EV 1 anodized, small components RAL 9006)	<input checked="" type="checkbox"/>
Additional RAL, special colours and effect finishes	<input type="checkbox"/>
Awning fabrics from the LEWENS collection	
Branded acrylic (spun-dyed, ultra fade resistant)	<input checked="" type="checkbox"/>
Orchestra MAX (branded acrylic, water repellent), up to 600 x 350 cm *	<input type="checkbox"/>
Branded polyester/recycled polyester (spun-dyed, ultra fade resistant)	<input type="checkbox"/>
Tenara quality sewing yarn	<input checked="" type="checkbox"/>
Ultrasonic seam welding	<input type="checkbox"/>
Valance	
without valance	<input checked="" type="checkbox"/>
with valance	<input type="checkbox"/>
Optionen	
1 Radio motor + radio remote control	<input type="checkbox"/>
2 Automatic weather sensor (sun, wind, rain)	<input type="checkbox"/>
3 Lighting – LED spot bar under cassette	<input type="checkbox"/>
4 Radiant heater (not with 6; with 3 only wall attachment)	<input type="checkbox"/>
5 Support legs (not with 2)	<input type="checkbox"/>
6 Vario Valance, up to 500 x 350 cm, 501-550/589-600 x 300 cm (not with 4)	<input type="checkbox"/>
Attachment	
Wall	<input checked="" type="checkbox"/>
Ceiling	<input type="checkbox"/>
Rafters	<input type="checkbox"/>

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

Standard
 Option
 – not available
 * pitch angle $\geq 10^\circ$ recommended, always ultrasonic seam welding



Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 07/2024