

Folding-arm
full-cassette
awning



Toscana
Mini



Just
enjoy life!

Lewens
MARKISEN





Toscana Mini – the small round cassette

Space-saving elegance for balcony and loggia



Attachment

The awning is delivered optionally with brackets facing to the rear (for wall mounting) or upwards (for ceiling mounting). The brackets are located on the outside of the awning in the area of the arm brackets.



Compact yet classy

- Width max. 450 cm, drop max. 250 cm
- Electric motor
- Options:
Radio motor/
radio remote control,
automatic weather sensor,
LED lighting,
support legs



Shade and privacy

Due to the special design of the Toscana Mini, a larger pitch angle can be set during assembly:

Possible pitch angles::

Mounting	Wall	Ceiling
Motor drive	5 - 60 °	5 - 60 °
Crank drive	5 - 27 °	5 - 60 °

Developed especially for small balconies and areas of shallow depth, the Toscana Mini awning boasts sophisticated technical details and comfort options.

The smallest full-cassette awning in the Toscana series turns even the smallest balcony into a favourite bolt-hole to relax in. The design of the Toscana Mini permits a steep pitch angle on installation, meaning that it offers privacy and shade even when the sun is low in the sky.




Full cassette

The compact cassette, just 10.5 cm high, protects the awning fabric reliably against the effects of the weather when closed.

Toscana Mini

Equipment and technical features



Toscana Mini




 Manufactured and assembled in Germany
 TÜV-tested safety
 Quality and technology CE-compliant

Full cassette (H x D)	105 x 185,5 mm
Widths (max.)	
1 unit (single panel)	450 cm
Drops	
Arm lengths 150 / 200 / 250 cm	<input checked="" type="checkbox"/>
Special arm lengths	<input type="checkbox"/>
Drive	
Electric motor (for wall switch)	<input checked="" type="checkbox"/>
Radio motor	<input type="checkbox"/>
Crank drive	<input type="checkbox"/>
Frame colours	
29 Lewens standard frame colours	<input checked="" type="checkbox"/>
Natural silver (E6/EV 1 anodized, small components RAL 9006)	<input checked="" type="checkbox"/>
Additional RAL, special colours and effect finishes	<input type="checkbox"/>
Awning fabrics from the LEWENS collection	
Branded acrylic (spun-dyed, ultra fade resistant)	<input checked="" type="checkbox"/>
Orchestra MAX (branded acrylic, water repellent), up to 600 x 350 cm *	<input type="checkbox"/>
Branded polyester/recycled polyester (spun-dyed, ultra fade resistant)	<input type="checkbox"/>
Tenara quality sewing yarn	<input checked="" type="checkbox"/>
Ultrasonic seam welding	<input type="checkbox"/>
Valance	
without valance	<input checked="" type="checkbox"/>
with valance	<input type="checkbox"/>
Optionen	
1 Radio motor + radio remote control	<input type="checkbox"/>
2 Automatic weather sensor (sun, wind, rain)	<input type="checkbox"/>
3 Lighting – LED lighting strip under cassette	<input type="checkbox"/>
4 Radiant heater	<input type="checkbox"/> [**]
5 Support legs (not with 2)	<input type="checkbox"/>
Attachment	
Wall	<input checked="" type="checkbox"/>
Ceiling	<input checked="" type="checkbox"/>
Rafters	<input type="checkbox"/>

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

Standard
 Option
 – not available
 * pitch angle $\geq 10^\circ$ recommended, always ultrasonic seam welding
 ** only wall attachment



Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 07/2024