Folding-arm full-cassette awning

Trentino Mini

lust *enjoy* life!










Comfort on a small scale

- Width max. 450 cm, drop max. 250 cm
- Snug wall fitting
- Cassette H 11.8 x D 20.9 cm
- Electric motor
- Options: Radio motor/ radio remote control, automatic weather sensor, LED lighting, support legs


Trentino Mini – the small flat cassette

Full-cassette awning for balconies and small outdoor seating areas



Function enhanced by design - the connection of folding arms to front profile

> Elegance and stability – the arm brackets







The Trentino Mini creates a snug seating area and adds a splash of colour to small patios.

The angular design of the Trentino Mini creates a particularly harmonious combination with modern geometrical architecture and current trends. Like the large models in the Trentino family, the Trentino Mini offers a high level of comfort and superior quality standard. It can be equipped with a variety of optional extras.





Full cassette

Enclosed all around and measuring just 11.8 cm in height, the cassette reliably protects the awning from the effects of the weather.

Trentino Mini

Equipment and technical features

Manufactured and assembled in Germany TÜV-tested safety Quality and technology CE-compliant



M

Trentino Mini

| Full cassette, flat cassette (H x D) | 118 x 209 mm |
|------------------------------------------------------------------------|--------------|
| Widths (max.) | |
| 1 unit (single panel) | 450 cm |
| Drops | |
| Arm lengths 150 / 200 / 250 cm | |
| Special arm lengths | |
| Drive | |
| Electric motor (for wall switch) | |
| Radio motor | |
| Crank drive | |
| Frame colours | |
| 29 Lewens standard frame colours | |
| Natural silver (E6/EV 1 anodized, small components RAL 9006) | |
| Additional RAL, special colours and effect finishes | |
| Awning fabrics from the LEWENS collection | |
| Branded acrylic (spun-dyed, ultra fade resistant) | |
| Orchestra MAX (branded acrylic, water repellent), up to 600 x 350 cm * | |
| Branded polyester/recycled polyester (spun-dyed, ultra fade resistant) | |
| Tenara quality sewing yarn | |
| Ultrasonic seam welding | |
| Valance | |
| without valance | |
| with valance | _ |
| Options | |
| 1 Radio motor + radio remote control | |
| z Automatic weather sensor (sun, wind, rain) | |
| 3 Lighting – LED lighting strip under cassette | |
| 4 Radiant heater | [** []] |
| 5 Support legs (not with 2) | |
| Attachment | |
| Wall | |
| Ceiling | |
| Rafters | |
| | |

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard □ Option - not available * pitch angle ≥ 10° recommended, always ultrasonic seam welding ** only wall attachment



Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 07/2024